



■ SPECIFICATIONS

Operating Weight:	900 kg
Digging Bucket Capacity:	0.025 cbm
Bucket Width:	300 mm
Engine:	Kubota D722
Rated Power:	15 HP / 3600 rpm
Main Pump:	Wanye Hydraulic
Hydraulic Pressure:	16 MPa
Swing Motor:	Dali
Travel Motor:	Dali
Travel Speed:	1.5 km/h
Swing Boom:	Yes
Expandable Tracks:	Yes

Overall Track Length:	1230 mm
Undercarriage Width:	896 mm
Track Width:	200 mm

■ WORKING RANGE

Maximum Digging Depth:	1650 mm
Maximum Digging Height:	2610 mm
Maximum Dumping Height:	1850 mm
Maximum Digging Radius at Ground Level:	2890 mm
Swing Radius:	360°
Maximum Dozer Blade Lift Height:	345 mm
Maximum Dozer Blade Digging Depth:	255 mm

■ MAIN DIMENSIONS

Length:	2770 mm
Width:	930 mm
Height:	2100 mm



Bucket 200mm



Bucket 500 mm




Bucket 800 mm



Earth Auger



Hydraulic Bucket



Hydraulic hammer



Log grapple



Quick coupler



Rake



Ripper tooth

